


REPLACEMENT DRAWING

Title: VACUUM PUMP HAVING SHAFT SEAL TO PREVENT
CORROSION AND TO ENSURE SMOOTH OPERATION (As
Amended)

Inventor(s): Tadahiro OHMI

Appl. No.: 10/591,430

FIG. 1



REPLACEMENT DRAWING


Title: VACUUM PUMP HAVING SHAFT SEAL TO PREVENT
CORROSION AND TO ENSURE SMOOTH OPERATION (As

Amended)

Inventor(s): Tadahiro OHMI

Appl. No.: 10/591,430

FIG. 2



Title: VACUUM PUMP HAVING SHAFT SEAL TO PREVENT CORROSION AND TO ENSURE SMOOTH OPERATION (As Amended)

Appl. No.: 10/591,430

RELEASEMENT DRAWING
Title: VACUUM PUMP HAVING SHAFT SEAL TO PREVENT
CORROSION AND TO ENSURE SMOOTH OPERATION (As
Amended)

Appl. No.: 10/591,430

Fig. 1 is a schematic cross-sectional view of a mechanical assembly. The assembly is symmetrical about a central vertical dashed line. It features a central shaft (131) passing through a housing (17). The housing has internal components including a central sleeve (2) and two side sleeves (7, 8). The side sleeves are connected to a base (6) via a linkage mechanism (9). The base is labeled "16M or 16FM". Other components are labeled 21 and 13M or 13FM.